

# ACTA MATERIALIA

---

## CONTENTS, AUTHOR AND KEYWORD INDEX VOLUME 48 2000

### *Board of Governors*

Professor Karl A. Gschneidner Jr, *Chairman*  
Professor Thaddeus B. Massalski, *Secretary*  
Dr Robert L. Fullman, *Treasurer, ex officio*  
Professor Gareth Thomas, *Managing Director, ex-officio*

Dr Kenneth Kinsman  
Dr Howard K. Birnbaum  
Dr Jere H. Brophy  
Dr William W. Scott Jr

Professor Mats Hillert  
Professor David G. Brandon  
Professor Robert H. Wagoner  
Professor Dr Peter Neumann

### *Principal Editors*

Professor Subra Suresh, Department of Materials Science and Engineering, Massachusetts Institute of Technology,  
77 Massachusetts Avenue, Room 4-140, Cambridge, MA 02139-4307, U.S.A.

Professor Hirotaro Mori, Research Center for Ultra-High Voltage Electron Microscopy, Osaka University,  
Yamadaoka, Suita, Osaka 565, Japan

Professor Richard Wagner, Forschungszentrum Jülich GmbH, D-52425 Jülich, Germany

Professor Ramamoorthy Ramesh, Center for Superconductivity Research, Department of Physics and Department of  
Materials Science and Engineering, University of Maryland, College Park, MD 20742, U.S.A.

### *Associate Editors*

Dr S. Banerjee (*India*)  
Professor J. Th. M. De Hosson (*The Netherlands*)  
Dr B. Derby (*United Kingdom*)  
Dr D. Juul Jensen (*Denmark*)  
Professor R. Kirchheim (*Germany*)  
Dr L. P. Kubin (*France*)

Dr S. P. Lynch (*Australia*)  
Professor A. Mortensen (*Switzerland*)  
Professor F. R. N. Nabarro (*South Africa*)  
Professor J. H. Perepezko (*U.S.A.*)  
Professor L. Schultz (*Germany*)  
Professor Z.-G. Wang (*China*)

*Publishing Office:* Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, England.



# ACTA MATERIALIA

## CONTENTS OF VOLUME 48

### NUMBER 1

#### THE MILLENNIUM SPECIAL ISSUE

|  |     |  |
|--|-----|--|
|  | xi  | Editorial  |
| H. Gleiter   | 1   | Nanostructured materials: basic concepts and microstructure                    |
| F. Spaepen   | 31  | Interfaces and stresses in thin films  |
| W. J. Boettinger,<br>S. R. Coriell, A. L. Greer,<br>A. Karma, W. Kurz,<br>M. Rappaz and R. Trivedi | 43  | Solidification microstructures: recent developments, future directions         |
| J. Hafner  | 71  | Atomic-scale computational materials science                                   |
| J. P. Hirth  | 93  | Some current topics in dislocation theory                                      |
| A. Needleman   | 105 | Computational mechanics at the mesoscale                                       |
| J. W. Hutchinson and<br>A. G. Evans  | 125 | Mechanics of materials: top-down approaches to fracture                        |
| S. Mahajan   | 137 | Defects in semiconductors and their effects on devices                         |
| N. Setter and R. Waser   | 151 | Electroceramic materials   |
| S. M. Spearing   | 179 | Materials issues in microelectromechanical systems (MEMS)                      |
| R. D. James and K. F. Hane   | 197 | Martensitic transformations and shape-memory materials                         |
| M. E. McHenry and<br>D. E. Laughlin  | 223 | Nano-scale materials development for future magnetic applications              |
| P. Grünberg  | 239 | Layered magnetic structures in research and application                        |
| G. Wegner  | 253 | Functional polymers  |
| L. G. Griffith   | 263 | Polymeric biomaterials   |
| A. Inoue   | 279 | Stabilization of metallic supercooled liquid and bulk amorphous alloys         |
| M. Yamaguchi, H. Inui and K.<br>Ito  | 307 | High-temperature structural intermetallics                                     |
| D. E. Newbury and<br>D. B. Williams  | 323 | The electron microscope: the materials characterization tool of the millennium |

|                                  |     |   |
|----------------------------------|-----|---|
| H. K. Wickramasinghe             | 347 | Progress in scanning probe microscopy   |
| M. F. Ashby                      | 359 | Multi-objective optimization in material design and selection                               |
| M. C. Flemings and<br>R. W. Cahn | 371 | Organization and trends in materials science and engineering education in the US and Europe |

## NUMBER 2

|  |     |   |
|--|-----|---|
|  | vii | Editorial   |
|  | ix  | Announcement—2000 Acta Metallurgica Inc. J. Herbet Holloman Award   |
| M. J. H. van Dal,<br>M. C. L. P. Pleumeekers,<br>A. A. Kodentsov and<br>F. J. J. van Loo | 385 | Intrinsic diffusion and Kirkendall effect in Ni-Pd and Fe-Pd solid solutions  |
| G. Gottstein, A. H. King and<br>L. S. Shvindlerman                                       | 397 | The effect of triple-junction drag on grain growth  |
| R. C. Atwood, S. Sridhar,<br>W. Zhang and P. D. Lee                                      | 405 | Diffusion-controlled growth of hydrogen pores in aluminium-silicon castings: <i>in situ</i> observation and modelling |
| D. Ma, Y. Li, S. C. Ng and H.<br>Jones   | 419 | Unidirectional solidification of Zn-rich Zn-Cu peritectic alloys—I. Microstructure selection                          |
| W. C. Johnson  | 433 | Superficial stress and strain at coherent interfaces  |
| O. Grong and O. R. Myhr  | 445 | Additivity and isokinetic behaviour in relation to diffusion controlled growth  |
| M. Radovic, M. W. Barsoum,<br>T. El-Raghy,<br>J. Seidensticker and<br>S. Wiederhorn      | 453 | Tensile properties of $\text{Ti}_3\text{SiC}_2$ in the 25–1300°C temperature range                                    |
| M. Hillert and M. Schalin  | 461 | Modeling of solute drag in the massive phase transformation   |
| F. Ebrahimi, J. Yanevich and<br>D. P. Deluca   | 469 | Deformation and fracture of the PWA 1472 superalloy single crystal  |
| W. J. Boettinger,<br>S. R. Coriell,<br>C. E. Campbell<br>and G. B. McFadden              | 481 | On the properties of $\alpha/\alpha+\beta$ ternary diffusion couples  |
| H. S. Kim, Y. Estrin and<br>M. B. Bush   | 493 | Plastic deformation behaviour of fine-grained materials   |

|   |     |   |
|---|-----|---|
| J. Crépin, T. Bretheau,<br>D. Caldemaison and<br>F. Ferrer                          | 505 | Low cycle fatigue behaviour of $\beta$ treated zirconium: partial irreversibility of twinning and consequences for damage |
| M. Hirao, H. Ogi, N. Suzuki<br>and T. Ohtani  | 517 | Ultrasonic attenuation peak during fatigue of polycrystalline copper  |
| K. S. Ravichandran and<br>X-D. Li   | 525 | Fracture mechanical character of small cracks in polycrystalline materials: concept and numerical $K$ calculations        |
| T. A. Parthasarathy,<br>P. R. Subramanian,<br>M. G. Mendiratta and<br>D. M. Dimiduk | 541 | Phenomenological observations of lamellar orientation effects on the creep behavior of Ti-48at.%Al PST crystals           |
| M. R. Daymond, C. N. Tomé<br>and M. A. M. Bourke                                    | 553 | Measured and predicted intergranular strains in textured austenitic steel   |
| D. Kovar, S. J. Bennison and<br>M. J. Readey  | 565 | Crack stability and strength variability in alumina ceramics with rising toughness-curve behavior                         |
| X. Wang, K. Xiao, L. Ye,<br>Y-W. Mai, C. H. Wang<br>and L. R. F. Rose               | 579 | Modelling mechanical properties of core-shell rubber-modified epoxies   |

587 Erratum

### NUMBER 3

vii Editorial

|   |     |  |
|---|-----|--|
| Y. Mishin and C. Herzig                                       | 589 | Overview No. 136: Diffusion in the Ti-Al system  |
| M. J. Kobrinsky and<br>C. V. Thompson                         | 625 | Activation volume for inelastic deformation in polycrystalline Ag thin films   |
| D. S. Grummon and<br>R. Gotthardt                             | 635 | Latent strain in titanium-nickel thin films modified by irradiation of the plastically-deformed martensite phase with 5 MeV Ni <sup>2+</sup> |
| B. J. Reardon and<br>S. R. Bingert                            | 647 | Inversion of tantalum micromechanical powder consolidation and sintering models using bayesian inference and genetic algorithms              |
| D. Chen, C. J. Gilbert,<br>X. F. Zhang and<br>R. O. Ritchie   | 659 | High-temperature cyclic fatigue-crack growth behavior in an <i>in situ</i> toughened silicon carbide   |
| H. Takatani, C-A. Gandin and<br>M. Rappaz                     | 675 | EBSD characterisation and modelling of columnar dendritic grains growing in the presence of fluid flow                                       |
| W. Österle, D. Bettge,<br>B. Fedelich and<br>H. Klingelhöffer | 689 | Modelling the orientation and direction dependence of the critical resolved shear stress of nickel-base superalloy single crystals           |



|   |     |   |
|---|-----|---|
| P. Staron and R. Kampmann   | 701 | Early-stage decomposition kinetics in Ni-Al Alloys—I. Small and wide-angle neutron scattering investigation on Ni-13 at.% Al and clusterdynamic modelling |
| P. Staron and R. Kampmann   | 713 | Early-stage decomposition kinetics in Ni-Al alloys—II. Clusterdynamic modelling of former experimental results  |
| F. Czerwinski   | 721 | On the use of the micromarker technique for studying the growth mechanism of thin oxide films   |
| M. L. Dunn,<br>S. J. Cunningham and<br>P. E. W. Labossiere        | 735 | Initiation toughness of silicon/glass anodic bonds  |
| X-Y. Gong, F. W. Zok,<br>B. N. Cox and J. Davis                   | 745 | The mechanics of delocalization and energy absorption in chain composites   |
| B. N. Cox, N. Sridhar,<br>J. B. Davis, X-Y. Gong and<br>F. W. Zok | 755 | The energy absorption potential of chain composites   |
| J. S. Lin and Y. Miyamoto   | 767 | Notch effect of surface compression and the toughening of graded Al <sub>2</sub> O <sub>3</sub> /TiC/Ni materials   |
| L. Donzel, E. Conforto and R.<br>Schaller                         | 777 | High-temperature mechanical spectroscopy of yttria-stabilized tetragonal zirconia polycrystals (Y-TZP) with different amounts of intergranular phase      |
| B. Färber, E. Cadel,<br>A. Menand, G. Schmitz and<br>R. Kirchheim | 789 | Phosphorus segregation in nanocrystalline Ni-3.6 at.% P alloy investigated with the tomographic atom probe (TAP)  |

#### NUMBER 4

|  |     |   |
|--|-----|---|
|  | vii | Editorial   |
| R. Waser and R. Hagenbeck                      | 797 | Overview No. 137: Grain boundaries in dielectric and mixed-conducting ceramics  |
| V. Rothová, I. Stloukal and<br>J. Čermák       | 827 | Permeation of hydrogen in Ni-based superalloy CMSX-4  |
| Q. Xu, V. V. Gupta and<br>E. J. Lavernia       | 835 | Thermal behavior during droplet-based deposition  |
| B. Skrotzki                                    | 851 | Crystallographic aspects of deformation twinning and consequences for plastic deformation processes in $\gamma$ -TiAl |
| Y. X. Gao, H. Fan and<br>Z. Xiao               | 863 | A thermodynamics model for solder profile evolution   |
| G. Sharma, R. V. Ramanujan<br>and G. P. Tiwari | 875 | Instability mechanisms in lamellar microstructures  |

- |   |     |   |
|---|-----|---|
| K. Wakashima, T. Moriyama<br>and T. Mori                            | 891 | Steady-state creep of a particulate SiC/6061 Al composite   |
| K. Kaneko, M. Kawasaki,<br>T. Nagano, N. Tamari and<br>S. Tsurekawa | 903 | Determination of the chemical width of grain boundaries<br>of boron- and carbon-doped hot-pressed $\beta$ -SiC by HAADF<br>imaging and ELNES line-profile |
| K. S. Kumar, L. Pang,<br>C. T. Liu, J. Horton and<br>E. A. Kenik    | 911 | Structural stability of the Laves phase $\text{Cr}_2\text{Ta}$ in a two-<br>phase Cr-Cr <sub>2</sub> Ta alloy   |
| A. Misra, A. A. Sharif,<br>J. J. Petrovic and<br>T. E. Mitchell     | 925 | Rapid solution hardening at elevated temperatures by<br>substitutional Re alloying in $\text{MoSi}_2$   |
| T. Hentschel, D. Isheim,<br>R. Kirchheim, F. Müller<br>and H. Kreye | 933 | Nanocrystalline Ni-3.6 at.% P and its transformation<br>sequence studied by atom-probe field-ion microscopy   |
| M. Nagumo, T. Yagi and<br>H. Saitoh                                 | 943 | Deformation-induced defects controlling fracture toughness<br>of steel revealed by tritium desorption behaviors   |
| D. Vollath and D. V. Szabó  | 953 | Nanoparticles from compounds with layered structures  |
| D. V. Shtansky, K. Nakai and<br>Y. Ohmori                           | 969 | Decomposition of martensite by discontinuous-like<br>precipitation reaction in an Fe-17Cr-0.5C alloy  |
| O. Sbaizero and G. Pezzotti   | 985 | Influence of the metal particle size on toughness of<br>$\text{Al}_2\text{O}_3/\text{Mo}$ composite   |
| J. Rodríguez, A. Martín and J.<br>LLorca                            | 993 | Modeling the effect of temperature on the wear resistance<br>of metals reinforced with ceramic particles  |

## NUMBER 5

### vii Editorial

- |  |      |  |
|--|------|--|
| P. A. Sundaram, E. Wessel, H.<br>Clemens, H. Kestler,<br>P. J. Ennis,<br>W. J. Quadakkers and<br>L. Singheiser | 1005 | Determination of the diffusion coefficient of hydrogen in<br>gamma titanium aluminides during electrolytic charging  |
| W. C. Johnson  | 1021 | On the growth of an intermediate phase in coherently<br>stressed thin plates   |
| T. Fujii, H. Nakazawa,<br>M. Kato and U. Dahmen  | 1033 | Crystallography and morphology of nanosized Cr particles<br>in a Cu-0.2% Cr alloy  |
| R. C. Pond, P. Shang,<br>T. T. Cheng and<br>M. Aindow  | 1047 | Interfacial dislocation mechanism for diffusional phase<br>transformations exhibiting martensitic crystallography:<br>formation of $\text{TiAl} + \text{Ti}_3\text{Al}$ lamellae |
| I. Dutta   | 1055 | Role of interfacial and matrix creep during thermal cycling<br>of continuous fiber reinforced metal-matrix composites  |

- |  |      |  |
|--|------|--|
| F. Delaire, J. L. Raphanel<br>and C. Rey   | 1075 | Plastic heterogeneities of a copper multicrystal deformed in uniaxial tension: experimental study and finite element simulations |
| M. Asta and J. J. Hoyt   | 1089 | Thermodynamic properties of coherent interfaces in f.c.c.-based Ag-Al alloys: a first-principles study                           |
| M. Verwerft  | 1097 | On the precipitation of magnesium silicide in irradiated aluminium-magnesium alloys  |
| S. G. E. te Velthuis,<br>N. H. van Dijk,<br>M. T. Rekveldt, J. Sietsma<br>and S. van der Zwaag | 1105 | Field-dependent neutron depolarization study of the ferrite formation in medium-carbon steels                                    |
| A. Gholinia, P. B. Prangnell<br>and M. V. Markushev  | 1115 | The effect of strain path on the development of deformation structures in severely deformed aluminium alloys processed by ECAE   |
| J. W. L. Pang, T. M. Holden,<br>J. S. Wright and<br>T. E. Mason                                | 1131 | The generation of intergranular strains in 309H stainless steel under uniaxial loading   |
| K. Sapozhnikov,<br>S. Golyandin, S. Kustov,<br>J. Van Humbeeck and<br>R. De Batist             | 1141 | Motion of dislocations and interfaces during deformation of martensitic Cu-Al-Ni crystals  |
| E. A. Olevsky and<br>R. M. German  | 1153 | Effect of gravity on dimensional change during sintering—I. Shrinkage anisotropy   |
| E. A. Olevsky, R. M. German<br>and A. Upadhyaya  | 1167 | Effect of gravity on dimensional change during sintering—II. Shape distortion  |
| W. S. Tong, J. M. Rickman<br>and K. Barmak   | 1181 | Evolution of perimeter fraction during a phase transformation  |
| R. Tewari, S. Mazumder,<br>I. S. Batra, G. K. Dey and<br>S. Banerjee                           | 1187 | Precipitation in 18 wt% Ni maraging steel of grade 350   |
| V. H. Garcia, P. M. Mors and<br>C. Scherer   | 1201 | Kinetics of phase formation in binary thin films: the Ni/Al case   |

#### NUMBER 6

- |  |      |   |
|--|------|---|
| D. H. Bae and A. K. Ghosh                              | 1207 | Grain size and temperature dependence of superplastic deformation in an Al-Mg alloy under isostructural condition |
| T. Neeraj, D-H. Hou,<br>G. S. Daehn and<br>M. J. Mills | 1225 | Phenomenological and microstructural analysis of room temperature creep in titanium alloys                        |



- |  |      |   |
|--|------|---|
| J. Kanters, U. Eisele and<br>J. Rödel  | 1239 | Effect of initial grain size on sintering trajectories  |
| S. Schüler, B. Derby,<br>M. Wood and<br>C. Ward-Close                            | 1247 | Matrix flow and densification during the consolidation of<br>matrix coated fibres   |
| A-M. Harte and N. A. Fleck   | 1259 | Deformation and failure mechanisms of braided composite<br>tubes in compression and torsion                                   |
| F. Yin, Y. Ohsawa, A. Sato<br>and K. Kawahara                                    | 1273 | Phase decomposition of the $\gamma$ phase in a Mn-30 at.% Cu<br>alloy during aging  |
| J. I. Pérez-Landazábal,<br>M. L. Nó, G. Madariaga,<br>V. Recarte and J. San Juan | 1283 | Quantitative analysis of $\delta'$ precipitation kinetics in Al-Li<br>alloys  |
| F. Wakai, N. Enomoto and<br>H. Ogawa   | 1297 | Three-dimensional microstructural evolution in ideal grain<br>growth—general statistics                                       |
| Y. L. Hao, R. Yang,<br>Y. Y. Cui and D. Li                                       | 1313 | The influence of alloying on the $\alpha_2/(\alpha_2+\gamma)/\gamma$ phase<br>boundaries in TiAl based systems                |
| M. Krishnan and J. B. Singh  | 1325 | A novel B19' martensite in nickel titanium shape memory<br>alloys   |
| I. Karaman, H. Sehitoglu,<br>K. Gall, Y. I. Chumlyakov<br>and H. J. Maier        | 1345 | Deformation of single crystal Hadfield steel by twinning<br>and slip  |
| I. Sevostianov and<br>M. Kachanov  | 1361 | Modeling of the anisotropic elastic properties of plasma-<br>sprayed coatings in relation to their microstructure             |
| H. Zhang and H. Wong   | 1371 | Self-similar growth of a compound layer in thin-film<br>binary diffusion couples  |
| A. Inoue and X. M. Wang  | 1383 | Bulk amorphous FC20 (Fe-C-Si) alloys with small<br>amounts of B and their crystallized structure and<br>mechanical properties |
| J. M. Pelletier, J. Perez and L.<br>Duffrene                                     | 1397 | Mechanical response of an oxide glass to mechanical<br>loading—shear and volume relaxation effects: physical<br>analysis      |
| Y. F. Zheng, W. Cai,<br>J. X. Zhang, L. C. Zhao<br>and H. Q. Ye                  | 1409 | Microstructural development inside the stress induced<br>martensite variant in a Ti-Ni-Nb shape memory alloy                  |

#### NUMBER 7

- |  |      |  |
|--|------|--|
| Y. H. Sohn and<br>M. A. Dayananda                  | 1427 | A double-serpentine diffusion path for a ternary diffusion<br>couple |
| N. Froumin, N. Frage,<br>M. Polak and M. P. Dariel | 1435 | Wetting phenomena in the TiC/(Cu-Al) system                          |

- |   |      |   |
|---|------|---|
| P. Wanjara, R. A. L. Drew,<br>J. Root and S. Yue  | 1443 | Evidence for stable stoichiometric $\text{Ti}_2\text{C}$ at the interface in<br>$\text{TiC}$ particulate reinforced Ti alloy composites                                       |
| E. E. Nugent, R. B. Calhoun<br>and A. Mortensen   | 1451 | Experimental investigation of stress and strain fields in a<br>ductile matrix surrounding an elastic inclusion  |
| K. Hagihara, T. Nakano and<br>Y. Umakoshi   | 1469 | Plastic deformation behaviour and operative slip systems in<br>$\text{Ni}_3\text{Nb}$ single crystals   |
| A. K. Kronenberg,<br>J. Castaing,<br>T. E. Mitchell and<br>S. H. Kirby                      | 1481 | Hydrogen defects in $\alpha\text{-Al}_2\text{O}_3$ and water weakening of<br>sapphire and alumina ceramics between 600 and 1000°C—<br>I. Infrared characterization of defects |
| J. Castaing,<br>A. K. Kronenberg,<br>S. H. Kirby and<br>T. E. Mitchell                      | 1495 | Hydrogen defects in $\alpha\text{-Al}_2\text{O}_3$ and water weakening of<br>sapphire and alumina ceramics between 600°C and<br>1000°C—II. Mechanical properties              |
| I. Salles-Desvignes,<br>T. Montesin, C. Valot,<br>J. Favergeon, G. Bertrand<br>and A. Vadon | 1505 | Near-coincidence lattice method for the determination of<br>epitaxy strains during oxidation of metals  |
| J. N. Wang  | 1517 | An investigation of the deformation mechanism in grain<br>size-sensitive Newtonian creep  |
| E. Rabkin, L. Klinger and<br>V. Semenov   | 1533 | Grain boundary grooving at the singular surfaces  |
| J.-J. Blandin and R. Dendievel  | 1541 | A mesoscale model to predict the effect of microstructural<br>heterogeneities on superplastic deformation   |
| N. Goukon, T. Ikeda and<br>M. Kajihara  | 1551 | Characteristic features of diffusion induced grain boundary<br>migration for $\Sigma 9$ [110] asymmetric tilt boundaries in the<br>$\text{Cu}(\text{Zn})$ system              |
| Y. Li, K. T. Ramesh and<br>E. S. C. Chin  | 1563 | Viscoplastic deformations and compressive damage in an<br>$\text{A359/SiC}_p$ metal-matrix composite  |
| B.-K. Lee, S.-Y. Chung and<br>S.-J. L. Kang   | 1575 | Grain boundary faceting and abnormal grain growth in<br>$\text{BaTiO}_3$  |
| T. Chairuangsi and<br>D. V. Edmonds   | 1581 | Abnormal ferrite in hyper-eutectoid steels  |
| D. A. Stewart, P. H. Shipway<br>and D. G. McCartney   | 1593 | Microstructural evolution in thermally sprayed WC-Co<br>coatings: comparison between nanocomposite and<br>conventional starting powders                                       |
| O. R. Myhr and O. Grong   | 1605 | Modelling of non-isothermal transformations in alloys<br>containing a particle distribution   |
| D. Raabe  | 1617 | Scaling Monte Carlo kinetics of the Potts model using rate<br>theory  |

- T. Ujihara and K. Osamura 1629 Kinetic analysis of spinodal decomposition process in Fe-Cr alloys by small angle neutron scattering

# NUMBER 8

- C. Schuh, P. Noël and D. C. Dunand 1639 Enhanced densification of metal powders by transformation-mismatch plasticity
- M. Collin and D. Rowcliffe 1655 Analysis and prediction of thermal shock in brittle materials
- Y-L. Shen, Y. L. Guo and C. A. Minor 1667 Voiding induced stress redistribution and its reliability implications in metal interconnects
- D. V. Shtansky, K. Nakai and Y. Ohmori 1679 Crystallography and structural evolution during reverse transformation in an Fe-17Cr-0.5C tempered martensite
- J. F. Nie and B. C. Muddle 1691 Characterisation of strengthening precipitate phases in a Mg-Y-Nd alloy
- Y. Le Bouar and A. G. Khachaturyan 1705 Mechanism and modeling of saw-tooth structure formation in the  $L1_2$ - $L1_0$  two-phase system
- H. Wong, P. W. Voorhees, M. J. Miksis and S. H. Davis 1719 Periodic mass shedding of a retracting solid film step
- R. Fu and T-Y. Zhang 1729 Influences of temperature and electric field on the bending strength of lead zirconate titanate ceramics
- D. Ma, Y. Li, S. C. Ng and H. Jones 1741 Unidirectional solidification of Zn-rich Zn-Cu peritectic alloys—II. Microstructural length scales
- A. Landa, P. Wynblatt, D. J. Siegel, J. B. Adams, O. N. Mryasov and X-Y. Liu 1753 Development of glue-type potentials for the Al-Pb system: phase diagram calculation
- W-J. Kim and O. D. Sherby 1763 Particle weakening in superplastic SiC/2124 Al composites at high temperature
- S. Celotto 1775 TEM study of continuous precipitation in Mg-9 wt%Al-1 wt%Zn alloy
- T. Hasegawa, T. Takahashi and K. Okazaki 1789 Deformation parameters governing tensile elongation for a mechanically milled Al-1.1at.%Mg-1.2at.%Cu alloy tested in tension at constant true strain rates
- S. Hirosawa, T. Sato, A. Kamio and H. M. Flower 1797 Classification of the role of microalloying elements in phase decomposition of Al based alloys
- S. Nagarjuna, M. Srinivas and K. K. Sharma 1807 The grain size dependence of flow stress in a Cu-26Ni-17Zn alloy

- |   |      |  |
|---|------|--|
| D. R. Mumm and<br>A. G. Evans                                       | 1815 | On the role of imperfections in the failure of a thermal barrier coating made by electron beam deposition  |
| V. Y. Kolosov and<br>A. R. Thölen                                   | 1829 | Transmission electron microscopy studies of the specific structure of crystals formed by phase transition in iron oxide amorphous films              |
| S. L. Semiatin, D. P. DeLo<br>and E. B. Shell                       | 1841 | The effect of material properties and tooling design on deformation and fracture during equal channel angular extrusion                              |
| S-H. Choi, J. C. Brem,<br>F. Barlat and K. H. Oh                    | 1853 | Macroscopic anisotropy in AA5019A sheets   |
| X-L. Xu and<br>R. K. N. D. Rajapakse                                | 1865 | A theoretical study of branched cracks in piezoelectrics   |
| B. J. Inkson  | 1883 | Dislocations and twinning activated by the abrasion of $\text{Al}_2\text{O}_3$   |
| A. Godfrey and D. A. Hughes   | 1897 | Scaling of the spacing of deformation induced dislocation boundaries   |
| G. Majkic, L. Wheeler and<br>K. Salama                              | 1907 | Creep of polycrystalline $\text{SrCo}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$   |
| J. V. Fernandes and<br>M. F. Vieira                                 | 1919 | Further development of the hybrid model for polycrystal deformation  |
| N. Wang and B. Wei  | 1931 | Rapid solidification of undercooled Cu-Ge peritectic alloy   |
| L. Ratke and J. Alkemper  | 1939 | Ordering of the fibrous eutectic microstructure of Al-Al <sub>3</sub> Ni due to accelerated solidification conditions                                |
| R. C. Hugo and<br>R. G. Hoagland                                    | 1949 | The kinetics of gallium penetration into aluminum grain boundaries— <i>in situ</i> TEM observations and atomistic models                             |
| H. Miura, T. Sakai,<br>T. Otsuka, R. Monzen and<br>S. Onaka         | 1959 | Sliding of copper [001]-twist grain boundaries detected by shear deformation of liquid $\text{B}_2\text{O}_3$ particles on the grain boundaries      |
| K. F. Kelton  | 1967 | Time-dependent nucleation in partitioning transformations  |
| T. Link, A. Epishin,<br>U. Brückner and P. Portella                 | 1981 | Increase of misfit during creep of superalloys and its correlation with deformation  |
| D. T. L. van Agterveld,<br>G. Palasantzas and<br>J. T. M. De Hosson | 1995 | Effects of precipitates in Cu upon impact fracture: an ultra-high-vacuum study with local probe Scanning Auger/Electron Microscopy                   |
| A. Borbély, J. H. Driver and<br>T. Ungár                            | 2005 | An X-ray method for the determination of stored energies in texture components of deformed metals; application to cold worked ultra high purity iron |
| Y. Huang and<br>F. J. Humphreys                                     | 2017 | Subgrain growth and low angle boundary mobility in aluminium crystals of orientation {110}<001>  |



# NUMBER 9

- I. Karaman, H. Sehitoglu,  
A. J. Beaudoin,  
Y. I. Chumlyakov,  
H. J. Maier and  
C. N. Tomé 2031 Modeling the deformation behavior of Hadfield steel single  
and polycrystals due to twinning and slip
- R-J. Xie, M. Mitomo and  
G-D. Zhan 2049 Superplasticity in a fine-grained beta-silicon nitride ceramic  
containing a transient liquid
- J. Koike, Y. Shimoyama,  
I. Ohnuma, T. Okamura,  
R. Kainuma, K. Ishida and  
K. Maruyama 2059 Stress-induced phase transformation during superplastic  
deformation in two-phase Ti-Al-Fe alloy
- T. Kuwabara, M. Kuroda,  
V. Tvergaard and  
K. Nomura 2071 Use of abrupt strain path change for determining  
subsequent yield surface: experimental study with metal  
sheets
- M. Kumar, W. E. King and A. J. Schwartz 2081 Modifications to the microstructural topology in f.c.c.  
materials through thermomechanical processing
- O. A. Kaibyshev,  
S. N. Faizova and  
A. F. Hairullina 2093 Diffusional mass transfer and superplastic deformation
- F. Basson and J. H. Driver 2101 Deformation banding mechanisms during plane strain  
compression of cube-oriented f.c.c. crystals
- W. H. Guo and H. W. Kui 2117 Bulk nanostructured alloy formation with controllable grain  
size
- B. Peeters, S. R. Kalidindi,  
P. Van Houtte and  
E. Aernoudt 2123 A crystal plasticity based work-hardening/softening model  
for b.c.c. metals under changing strain paths
- X. Z. Zhang and J. F. Knott 2135 The statistical modelling of brittle fracture in homogeneous  
and heterogeneous steel microstructures
- K. Oi, C. Lux and  
G. R. Purdy 2147 A study of the influence of Mn and Ni on the kinetics of  
the proeutectoid ferrite reaction in steels
- Sung 2157 Kinetics analysis of mullite formation reaction at high  
temperatures
- Y. Wang, D. J. Srolovitz,  
J. M. Rickman and  
R. LeSar 2163 Dislocation motion in the presence of diffusing solutes: a  
computer simulation study
- M. Ekroth, R. Frykholm,  
M. Lindholm, H-O. Andrén  
and J. Ågren 2177 Gradient zones in WC-Ti(C,N)-Co-based cemented  
carbides: experimental study and computer simulations
- G. Winther, X. Huang and  
N. Hansen 2187 Crystallographic and macroscopic orientation of planar  
dislocation boundaries—correlation with grain orientation



- |   |      |  |
|---|------|--|
| S. P. Baker, Y-C. Joo,<br>M. P. Knauß and E. Arzt   | 2199 | Electromigration damage in mechanically deformed Al conductor lines: dislocations as fast diffusion paths                                |
| W-Z. Zhang, F. Ye,<br>C. Zhang, Y. Qi and<br>H-S. Fang  | 2209 | Unified rationalization of the Pitsch and T-H orientation relationships between Widmanstätten cementite and austenite                    |
| H. Biermann, B. von<br>Grossmann, T. Ungár,<br>S. Mechsner, A. Souvorov,<br>M. Drakopoulos,<br>A. Snigirev and<br>H. Mughrabi | 2221 | Determination of local strains in a monocrystalline turbine blade by microbeam X-ray diffraction with synchrotron radiation              |
| P. O. Kettunen  | 2231 | Statistical theory as applied to cyclic hardening  |
| A. W. Zhu, J. Chen and<br>E. A. Starke  | 2239 | Precipitation strengthening of stress-aged Al-xCu alloys   |
| D. H. Shin, B. C. Kim,<br>Y-S. Kim and K-T. Park  | 2247 | Microstructural evolution in a commercial low carbon steel by equal channel angular pressing   |
| T. Kato, K. Nunome,<br>K. Kaneko and H. Saka  | 2257 | Formation of the $\zeta$ phase at an interface between an Fe substrate and a molten 0.2 mass% Al-Zn during galvannealing                 |
| L. C. Lim, P. M. Wong and<br>M. Jan   | 2263 | Microstructural evolution during sintering of near-monosized agglomerate-free submicron alumina powder compacts                          |
| A. Gouldstone, H-J. Koh,<br>K-Y. Zeng,<br>A. E. Giannakopoulos and<br>S. Suresh   | 2277 | Discrete and continuous deformation during nanoindentation of thin films   |
| M. Vandyoussefi, H. W. Kerr<br>and W. Kurz  | 2297 | Two-phase growth in peritectic Fe-Ni alloys  |
| S. Yang, A. M. Gokhale and<br>Z. Shan   | 2307 | Utility of microstructure modeling for simulation of micro-mechanical response of composites containing non-uniformly distributed fibers |
| P. Müllner and<br>A. E. Romanov   | 2323 | Internal twinning in deformation twinning  |
| J. H. Zhu and C. T. Liu   | 2339 | Defect structures in ZrCo <sub>2</sub> Laves phase   |
| I. Duarte and J. Banhart  | 2349 | A study of aluminium foam formation—kinetics and microstructure  |
| D. Sun, F. Gingl, H. Enoki, D.<br>K. Ross and E. Akiba  | 2363 | Phase components of the sintered Mg-x wt% LaNi <sub>5</sub> (x=20-50) composites and their hydrogenation properties                      |
| G-D. Zhan, M. Mitomo,<br>R-J. Xie and K. Kurashima  | 2373 | The deformation mechanisms of superplastic flow in fine-grained beta-silicon nitride ceramics  |

- |   |      |  |
|---|------|--|
| R. Menig, M. H. Meyers,<br>M. A. Meyers and<br>K. S. Vecchio                | 2383 | Quasi-static and dynamic mechanical response of <i>Haliotis rufescens</i> (abalone) shells   |
| C. J. Shih, M. A. Meyers,<br>V. F. Nesterenko and<br>S. J. Chen             | 2399 | Damage evolution in dynamic deformation of silicon carbide   |
| L. Pardo, A. Castro,<br>P. Millán, C. Alemany,<br>R. Jiménez and B. Jiménez | 2421 | (Bi <sub>3</sub> TiNbO <sub>9</sub> ) <sub>x</sub> (SrBi <sub>2</sub> Nb <sub>2</sub> O <sub>9</sub> ) <sub>1-x</sub> aurivillius type structure piezoelectric ceramics obtained from mechanochemically activated oxides |

#### NUMBER 10

- |   |      |   |
|---|------|---|
| A. Wikström and<br>P. Gudmundson  | 2429 | Stresses in passivated lines from curvature measurements  |
| K. P. Mingard, B. Cantor,<br>I. G. Palmer, I. R. Hughes,<br>P. W. Alexander,<br>T. C. Willis and J. White | 2435 | Macro-segregation in aluminium alloy sprayformed billets  |
| L. Weber, B. Moser,<br>H. U. Künzi and A.<br>Mortensen  | 2451 | Swift and inverse Swift effect in alumina fiber reinforced aluminum wires   |
| B. Basu, R. G. Vitchev,<br>J. Vleugels, J. P. Celis and<br>O. Van Der Biest                               | 2461 | Influence of humidity on the fretting wear of self-mated tetragonal zirconia ceramics   |
| M. Schwind, J. Källqvist,<br>J-O. Nilsson, J. Ågren<br>and H-O. Andrén                                    | 2473 | $\sigma$ -phase precipitation in stabilized austenitic stainless steels   |
| C-A. Gandin   | 2483 | From constrained to unconstrained growth during directional solidification  |
| A. Artemev, Y. Wang and<br>A. G. Khachaturyan   | 2503 | Three-dimensional phase field model and simulation of martensitic transformation in multilayer systems under applied stresses |
| J. Svoboda and P. Luk   | 2519 | Creep deformation modelling of superalloy single crystals   |
| M. Lebyodkin, L. Dunin-<br>Barkowskii, Y. Bréchet,<br>Y. Estrin and L. P. Kubin                           | 2529 | Spatio-temporal dynamics of the Portevin–Le Chatelier effect: experiment and modelling  |
| Y. Huang, F. J. Humphreys<br>and M. Ferry   | 2543 | The annealing behaviour of deformed cube-oriented aluminium single crystals   |
| A. Landa, P. Wynblatt,<br>E. Johnson and U. Dahmen  | 2557 | Computer simulation of Pb/Al interfaces   |
| A. Zavaliangos and A. Laptev  | 2565 | The densification of powder mixtures containing soft and hard components under static and cyclic pressure                     |

- |  |      |   |
|--|------|---|
| E. Pippel, J. Woltersdorf,<br>J. Gegner and<br>R. Kirchheim                                      | 2571 | Evidence of oxygen segregation at Ag/MgO interfaces   |
| C. M. Wang, G. S. Cargill, H.<br>M. Chan and<br>M. P. Harmer                                     | 2579 | Structural features of Y-saturated and supersaturated grain boundaries in alumina   |
| M. Y. He, A. G. Evans and<br>J. W. Hutchinson  | 2593 | The ratcheting of compressed thermally grown thin films on ductile substrates   |
| N. Nagendra, U. Ramamurty,<br>T. T. Goh and Y. Li  | 2603 | Effect of crystallinity on the impact toughness of a La-based bulk metallic glass   |
| Y. T. Pei and<br>J. T. M. De Hosson  | 2617 | Functionally graded materials produced by laser cladding  |
| K. Matsuki, T. Aida,<br>T. Takeuchi, J. Kusui and<br>K. Yokoe                                    | 2625 | Microstructural characteristics and superplastic-like behavior in aluminum powder alloy consolidated by equal-channel angular pressing                              |
| W. Lengauer, M. Bohn,<br>B. Wollein and K. Lisak   | 2633 | Phase reactions in the Nb-N system below 1400°C   |
| C. Cayron and P. A. Buffat   | 2639 | Transmission electron microscopy study of the $\beta'$ phase (Al-Mg-Si alloys) and QC phase (Al-Cu-Mg-Si alloys): ordering mechanism and crystallographic structure |
| T. J. Shaw, J. W. Chan,<br>S-H. Kang, R. McDermott,<br>J. W. Morris and J. Clarke                | 2655 | Scanning SQUID microscope differentiation of ferromagnetic steel phases   |
| E. El-Danaf, S. R. Kalidindi,<br>R. D. Doherty and<br>C. Necker                                  | 2665 | Deformation texture transition in brass: critical role of micro-scale shear bands   |
| M. Athènes, P. Bellon and<br>G. Martin   | 2675 | Effects of atomic mobilities on phase separation kinetics: a Monte-Carlo study  |
| V. A. Snyder, J. Alkemper and<br>P. W. Voorhees  | 2689 | The development of spatial correlations during Ostwald ripening: a test of theory   |
| P. A. Carvalho,<br>H. S. D. Haarsma,<br>B. J. Kooi,<br>P. M. Bronsveld and<br>J. T. M. De Hosson | 2703 | HRTEM study of $\text{Co}_7\text{W}_6$ and its typical defect structure   |
| T. E. Mitchell   | 2713 | A dislocation tetrahedron for $\text{MoSi}_2$   |
| A. Kumar and P. R. Dawson  | 2719 | Computational modeling of f.c.c. deformation textures over Rodrigues' space   |
| N. J. Wittridge and J. J. Jonas  | 2737 | The austenite-to-martensite transformation in Fe-30%Ni after deformation by simple shear  |

- A. Charai, T. Walther, 2751 Coexistence of clusters, GPB zones, S''-, S'- and S-phases  
C. Alfonso, A-M. Zahra and  
C. Y. Zahra in an Al-0.9% Cu-1.4% Mg alloy

# NUMBER 11

- A. Borgenstam and M. Hillert 2765 Massive transformation in the Fe-Ni system
- A. Borgenstam and M. Hillert 2777 Nucleation of isothermal martensite
- Y. Zhang, N. Wanderka, 2787 Phase chemistry of the superalloy SC16 after creep  
G. Schumacher, deformation  
R. Schneider and  
W. Neumann
- T. Tsuzuki and 2795 Synthesis of Cr<sub>2</sub>O<sub>3</sub> nanoparticles by mechanochemical  
P. G. McCormick processing
- W-J. Zhang, U. Lorenz and F. 2803 Recovery, recrystallization and phase transformations  
Appel during thermomechanical processing and treatment of  
TiAl-based alloys
- S. W. Banovic, J. N. DuPont 2815 The use of ternary phase diagrams in the study of high  
and A. R. Marder temperature corrosion products formed on Fe-5 wt% Al  
alloys in reducing and oxidizing environments
- A. L. Greer, A. M. Bunn, 2823 Modelling of inoculation of metallic melts: application to  
A. Tronche, P. V. Evans grain refinement of aluminium by Al-Ti-B  
and D. J. Bristow
- N. Goukon, T. Yamada and 2837 Boundary energies of  $\Sigma$ 11 [110] asymmetric tilt boundaries  
M. Kajihara in Cu determined from the shape of boundary silica  
particles
- T-Y. Zhang, Y-J. Su, 2843 Microbridge testing of silicon nitride thin films deposited  
C-F. Qian, M-H. Zhao and on silicon wafers  
L-Q. Chen
- P. Somani, A. B. Mandale and 2859 Study and development of conducting polymer-based  
S. Radhakrishnan electrochromic display devices
- D. Isheim 2873 Metastable phase formation during the decomposition of  
Fe-20 at.% Mo
- D. H. Carter and 2885 Neutron diffraction study of the deformation behavior of  
M. A. M. Bourke beryllium-aluminum composites
- N. H. Heo, K. H. Chai and 2901 Correlation between interfacial segregation and surface-  
J. G. Na energy-induced selective grain growth in 3% silicon-iron  
alloy
- V. Massardier, T. Epicier and 2911 Correlation between the microstructural evolution of a  
P. Merle 6061 aluminium alloy and the evolution of its  
thermoelectric power



- D. N. Torres, R. A. Perez and F. Dymant 2925 Diffusion of tin in  $\alpha$ -iron
- H. Fujii, T. Matsumoto and K. Nogi 2933 Analysis of surface oscillation of droplet under microgravity for the determination of its surface tension
- C. Mennicke, M-Y. He, D. R. Clarke and J. S. Smith 2941 The role of secondary oxide inclusions ("pegs") on the spalling resistance of oxide films
- A. Paúl, J. A. Odriozola, M. A. San Miguel, J. Fernández Sanz and L. J. Álvarez 2951 Experimental and molecular dynamics simulation analysis of  $\text{LaCrO}_3$  precipitation in chromia scales
- N. Goukon, T. Ikeda and M. Kajihara 2959 Growth behavior of fine grains formed by diffusion induced recrystallization in the Cu(Zn) system
- L. Löchte, A. Gitt, G. Gottstein and I. Hurtado 2969 Simulation of the evolution of GP zones in Al-Cu alloys: an extended Cahn-Hilliard approach
- D. A. Hughes and N. Hansen 2985 Microstructure and strength of nickel at large strains
- W. Pantleon and D. Stoyan 3005 Correlations between disorientations in neighbouring dislocation boundaries
- P. Coquay, E. De Grave, R. E. Vandenberghe, C. Dauwe, E. Flahaut, C. Laurent, A. Peigney and A. Rousset 3015 Mössbauer spectroscopy study of  $\text{MgAl}_2\text{O}_4$ -matrix nanocomposite powders containing carbon nanotubes and iron-based nanoparticles

3025 Corrigendum

## NUMBER 12

- J. Pons, V. A. Chernenko, R. Santamarta and E. Cesari 3027 Crystal structure of martensitic phases in Ni-Mn-Ga shape memory alloys
- D. J. Harris, J. H. Harding and G. W. Watson 3039 Computer simulation of the reactive element effect in NiO grain boundaries
- K. Nagashio, K. Kuribayashi and Y. Takamura 3049 Phase selection of peritectic phase in undercooled Nd-based superconducting oxides
- E. Owczarek and T. Zakroczyński 3059 Hydrogen transport in a duplex stainless steel
- S. B. Lee, D. Y. Yoon and M. F. Henry 3071 Abnormal grain growth and grain boundary faceting in a model Ni-base superalloy
- S. Zhang and P. G. McCormick 3081 Thermodynamic analysis of shape memory phenomena — I. Effect of transformation plasticity on elastic strain energy



|  |      |  |
|--|------|--|
| S. Zhang and<br>P. G. McCormick  | 3091 | Thermodynamic Analysis of Shape Memory Phenomena —<br>II. Modelling  |
| J. G. Li and X. Sun  | 3103 | Synthesis and sintering behavior of a nanocrystalline $\alpha$ -<br>alumina powder   |
| I. Ohnuma, Y. Fujita,<br>H. Mitsui, K. Ishikawa,<br>R. Kainuma and K. Ishida     | 3113 | Phase equilibria in the Ti–Al binary system  |
| K. Choi, J-W. Choi,<br>D-Y. Kim and<br>N. M. Hwang                               | 3125 | Effect of coalescence on the grain coarsening during<br>liquid-phase sintering of TaC–TiC–Ni cermets                                     |
| J. Cheng and<br>S. Nemat-Nasser  | 3131 | A model for experimentally-observed high-strain-rate<br>dynamic strain aging in titanium   |
| C. H. Iwashita and R. P. Wei   | 3145 | Coarsening of grain boundary carbides in a nickel-based<br>ternary alloy during creep  |
| H. Gabrisch and D. Mukherji  | 3157 | Character of dislocations at the $\gamma/\gamma'$ interfaces and internal<br>stresses in nickel-base superalloys                         |
| T-S. Park and S. Suresh  | 3169 | Effects of line and passivation geometry on curvature<br>evolution during processing and thermal cycling in copper<br>interconnect lines |
| G. B. McFadden,<br>S. R. Coriell and<br>R. F. Sekerka                            | 3177 | Effect of surface free energy anisotropy on dendrite tip<br>shape  |
| P. Bate and B. Hutchinson  | 3183 | The effect of elastic interactions between displacive<br>transformations on textures in steels   |
| J. Ni, T. Ashino and S. Iwata  | 3193 | Kinetics of ordering and disordering in the Fe–Al–Ti<br>ternary alloy  |
| M. Jiménez-Melendo and<br>A. Domínguez-Rodríguez                                 | 3201 | High temperature mechanical characteristics of superplastic<br>yttria-stabilized zirconia. An examination of the flow<br>process         |
| M. R. Begley, D. R. Mumm,<br>A. G. Evans and<br>J. W. Hutchinson                 | 3211 | Analysis of a wedge impression test for measuring the<br>interface toughness between films/coatings and ductile<br>substrates            |
| H. N. Lee, D. R. Johnson,<br>H. Inui, M. H. Oh,<br>D. M. Wee and<br>M. Yamaguchi | 3221 | Microstructural control through seeding and directional<br>solidification of TiAl alloys containing Mo and C                             |
| L. Weber, P. Canalis-Nieto, A.<br>Rossoll and<br>A. Mortensen                    | 3235 | Fracture strength of alumina fiber reinforced aluminum<br>wire with and without a torsional pre-strain                                   |
| D. H. Shin, B. C. Kim,<br>K-T. Park and W. Y. Choo                               | 3245 | Microstructural changes in equal channel angular pressed<br>low carbon steel by static annealing   |

- |                           |      |  |
|---------------------------|------|--|
| S. Q. Xiao and J. M. Howe | 3253 | Analysis of a two-dimensional invariant line interface for the case of a general transformation strain and application to thin-film interfaces |
| H. Huang and F. Spaepen   | 3261 | Tensile testing of free-standing Cu, Ag and Al thin films and Ag/Cu multilayers  |
| S. C. Hwang and R. Waser  | 3271 | Study of electrical and mechanical contribution to switching in ferroelectric/ferroelastic polycrystals  |

#### NUMBER 13

- |  |      |  |
|--|------|--|
| V. K. Tolpygo and<br>D. R. Clarke  | 3283 | Surface rumpling of a (Ni, Pt)Al bond coat induced by cyclic oxidation   |
| G. Mohamed and B. Bacroix  | 3295 | Role of stored energy in static recrystallization of cold rolled copper single and multicrystals                 |
| J. M. Pénisson and<br>T. Vystavel  | 3303 | Wetting of molybdenum grain boundaries by nickel: effect of the boundary structure and energy                    |
| H. Sehitoglu, I. Karaman,<br>R. Anderson, X. Zhang,<br>K. Gall, H. J. Maier and<br>Y. Chumlyakov   | 3311 | Compressive response of NiTi single crystals   |
| N. Rajmohan and<br>J. A. Szpunar   | 3327 | A new model for recrystallization of heavily cold-rolled aluminum using orientation-dependent stored energy      |
| I. Sridhar and N. A. Fleck   | 3341 | Yield behaviour of cold compacted composite powders  |
| J. M. Manero, F. J. Gil and<br>J. A. Planell   | 3353 | Deformation mechanisms of Ti-6Al-4V alloy with a martensitic microstructure subjected to oligocyclic fatigue     |
| G. J. Baczynski, R. Guzzo, M.<br>D. Ball and D. J. Lloyd   | 3361 | Development of roping in an aluminum automotive alloy AA6111   |
| C. P. Chang, P. L. Sun and P.<br>W. Kao  | 3377 | Deformation induced grain boundaries in commercially pure aluminium  |
| S. Aggarwal, B. Nagaraj,<br>I. G. Jenkins, H. Li,<br>R. P. Sharma,<br>L. Salamanca-Riba,<br>R. Ramesh, A. M. Dhote,<br>A. R. Krauss<br>and O. Auciello | 3387 | Correlation between oxidation resistance and crystallinity of Ti-Al as a barrier layer for high-density memories |
| A. C. F. Cocks and<br>M. F. Ashby  | 3395 | Creep-buckling of cellular solids  |
| H. Y. Yasuda, D. Furuta and<br>Y. Umakoshi   | 3401 | Effect of long-range order on the cyclic deformation behaviour of Ni <sub>3</sub> Fe single crystals             |

- A. J. Beaudoin, A. Acharya, S. R. Chen,  
D. A. Korzekwa and  
M. G. Stout 3409 Consideration of grain-size effect and kinetics in the  
plastic deformation of metal polycrystals
- J. W. Cahn and 3425 Motion by curvature and impurity drag: resolution of a  
A. Novick-Cohen mobility paradox
- P. D. Nicolaou and 3441 An analysis of the effect of continuous nucleation and  
S. L. Semiatin coalescence on cavitation during hot tension testing
- J. Alcalá, A. C. Barone and 3451 The influence of plastic hardening on surface deformation  
M. Anglada modes around Vickers and spherical indents
- T. Nakano, M. Kishimoto, 3465 Effect of substitutional elements on plastic deformation  
D. Furuta and Y. Umakoshi behaviour of NbSi<sub>2</sub>-based silicide single crystals with C40  
structure
- Y. Harada and D. C. Dunand 3477 Creep properties of Al<sub>3</sub>Sc and Al<sub>3</sub>(Sc, X) intermetallics
- Y. Liu and D. Favier 3489 Stabilisation of martensite due to shear deformation via  
variant reorientation in polycrystalline NiTi
- H. D. Chopra, E. J. Repetski, 3501 Magnetic behavior of atomically engineered NiO-Co-Cu-  
H. J. Brown, P. J. Chen, based giant magnetoresistance spin valves using Pb as a  
L. J. Swartzendruber and surface modifier  
W. F. Egelhoff
- J. W. Kysar 3509 Directional dependence of fracture in copper/sapphire  
bicrystal
- A. Morawiec 3525 Method to calculate the grain boundary energy distribution  
over the space of macroscopic boundary parameters from  
the geometry of triple junctions
- C. H. Shang, 3533 An X-ray study of residual stresses and bending stresses in  
D. Van Heerden, free-standing Nb/Nb<sub>5</sub>Si<sub>3</sub> microlaminates  
A. J. Gavens  
and T. P. Weihs
- C-G. Stefanita, 3545 Plastic versus elastic deformation effects on magnetic  
D. L. Atherton and Barkhausen noise in steel  
L. Clapham
- J. Rösler and M. Bäker 3553 A theoretical concept for the design of high-temperature  
materials by dual-scale particle strengthening
- J-F. Chou, M-H. Lin and 3569 Ferroelectric domains in pressureless-sintered barium  
H-Y. Lu titanate
- J. Du, M. D. Thouless and 3581 Effects of rate on crack growth in a rubber-modified epoxy  
A. F. Yee
- V. Cannillo and W. C. Carter 3593 Computation and simulation of reliability parameters and  
their variations in heterogeneous materials

- |                        |      |   |
|------------------------|------|---|
| Y. Sun and R. N. Singh | 3607 | Determination of fiber bridging stress profile by debond length measurement |
|                        | 3621 | Corrigendum   |

#### NUMBER 14

- |  |      |  |
|--|------|--|
| D. I. Thomson, V. Heine,<br>M. C. Payne, N. Marzari<br>and M. W. Finnis      | 3623 | Insight into gallium behavior in aluminum grain boundaries from calculation on $\Sigma = 11$ (113) boundary  |
| Z. Horita, M. Furukawa,<br>M. Nemoto, A. J. Barnes<br>and T. G. Langdon      | 3633 | Superplastic forming at high strain rates after severe plastic deformation   |
| G. Palasantzas and<br>J. Th. M. De Hosson                                    | 3641 | Roughness effect on the measurement of interface stress  |
| U. Lagerpusch, V. Mohles,<br>D. Baither,<br>B. Anczykowski and<br>E. Nembach | 3647 | Double strengthening of copper by dissolved gold-atoms and by incoherent $\text{SiO}_2$ -particles: how do the two strengthening contributions superimpose?                            |
| M. Seidel, J. Eckert,<br>I. Bäcker, M. Reibold and<br>L. Schultz             | 3657 | Progress of solid-state reaction and glass formation in mechanically alloyed $\text{Zr}_{65}\text{Al}_{7.5}\text{Cu}_{17.5}\text{Ni}_{10}$   |
| G. Shao and P. Tsakiroopoulos  | 3671 | On the $\omega$ phase formation in Cr-Al and Ti-Al-Cr alloys   |
| B. J. Kooi and<br>J. Th. M. De Hosson  | 3687 | Influence of misfit and interfacial binding energy on the shape of the oxide precipitates in metals; interfaces between $\text{Mn}_3\text{O}_4$ precipitates and Pd studied with HRTEM |
| R. Yu, L. L. He, J. T. Guo, H.<br>Q. Ye and V. Lupinc                        | 3701 | Orientation relationship and interfacial structure between $\zeta$ - $\text{Ti}_5\text{Si}_3$ precipitates and $\gamma$ -TiAl intermetallics   |
| M. I. Mendelev and<br>D. J. Srolovitz  | 3711 | Kink model for extended defect migration: theory and simulations   |
| G. Ghosh   | 3719 | Interfacial microstructure and the kinetics of interfacial reaction in diffusion couples between Sn-Pb solder and Cu/Ni/Pd metallization   |
| T. Aoyama and<br>K. Kuribayashi  | 3739 | Influence of undercooling on solid/liquid interface morphology in semiconductors   |
| D. V. Shtansky, O. Tsuda,<br>Y. Ikuhara and T. Yoshida                       | 3745 | Crystallography and structural evolution of cubic boron nitride films during bias sputter deposition   |
| J. C. Sánchez-López and<br>A. Fernández                                      | 3761 | TEM study of fractal scaling in nanoparticle agglomerates obtained by gas-phase condensation   |
| M. Perez, J.-C. Barbé,<br>Z. Neda, Y. Bréchet and<br>L. Salvo                | 3773 | Computer simulation of the microstructure and rheology of semi-solid alloys under shear  |



- |  |      |   |
|--|------|---|
| J. Nuffer, D. C. Lupascu and J. Rödel  | 3783 | Damage evolution in ferroelectric PZT induced by bipolar electric cycling                                     |
| C. Zhao, J. Vleugels, C. Groffils, P. J. Luypaert and O. van der Biest       | 3795 | Hybrid sintering with a tubular susceptor in a cylindrical single-mode microwave furnace                      |
| E. Flahaut, A. Peigney, Ch. Laurent, Ch. Marlière, F. Chastel and A. Rousset | 3803 | Carbon nanotube-metal-oxide nanocomposites: microstructure, electrical conductivity and mechanical properties |

#### NUMBER 15

- |   |      |  |
|---|------|--|
| A. G. Balanyuk, V. G. Gavriljuk, V. N. Shivanyuk, A. I. Tyshchenko and J. C. Rawers | 3813 | Mössbauer study and thermodynamic modeling of Fe-C-N alloy   |
| G. J. Fan, W. Löser, S. Roth and J. Eckert  | 3823 | Glass-forming ability of RE-Al-TM alloys (RE=Sm, Y; TM=Fe, Co, Cu)   |
| P. L. Potapov, P. Ochinnikov, J. Pons and D. Schryvers                              | 3833 | Nanoscale inhomogeneities in melt-spun Ni-Al   |
| D. J. Lee and J. K. Lee   | 3847 | On coherency-induced ordering in substitutional alloys—I. Analytical   |
| A. J. Craven, K. He, L. A. J. Garvie and T. N. Baker                                | 3857 | Complex heterogeneous precipitation in titanium-niobium microalloyed Al-killed HSLA steels—I. (Ti,Nb)(C,N) particles   |
| A. J. Craven, K. He, L. A. J. Garvie and T. N. Baker                                | 3869 | Complex heterogeneous precipitation in titanium-niobium microalloyed Al-killed HSLA steels—II. Non-titanium based particles  |
| V. G. Gavriljuk, B. D. Shanina and H. Berns   | 3879 | On the correlation between electron structure and short range atomic order in iron-based alloys  |
| B. Y. Li, L. J. Rong, Y. Y. Li and V. E. Gjunter                                    | 3895 | Synthesis of porous Ni-Ti shape-memory alloys by self-propagating high-temperature synthesis: reaction mechanism and anisotropy in pore structure                        |
| R. S. Kottada and A. H. Chokshi   | 3905 | The high temperature tensile and compressive deformation characteristics of magnesia doped alumina   |
| R. E. Logé, J. W. Signorelli, Y. B. Chastel, M. Y. Perrin and R. A. Lebensohn       | 3917 | Sensitivity of $\alpha$ -Zr4 high-temperature deformation textures to the $\beta$ -quenched precipitate structure and to recrystallization: application to hot extrusion |
| T. Chairuangsrri and D. V. Edmonds  | 3931 | The precipitation of copper in abnormal ferrite and pearlite in hyper-eutectoid steels   |



- |  |      |  |
|--|------|--|
| X. Doré, H. Combeau and<br>M. Rappaz             | 3951 | Modelling of microsegregation in ternary alloys:<br>application to the solidification of Al-Mg-Si                              |
| A. Rabiei and A. G. Evans                        | 3963 | Failure mechanisms associated with the thermally grown<br>oxide in plasma-sprayed thermal barrier coatings                     |
| J. M. Howe, H. I. Aaronson<br>and J. P. Hirth    | 3977 | Aspects of interphase boundary structure in diffusional<br>phase transformations   |
| B. S. Murty, D. H. Ping,<br>K. Hono and A. Inoue | 3985 | Influence of oxygen on the crystallization behavior of<br>$Zr_{65}Cu_{27.5}Al_{7.5}$ and $Zr_{66.7}Cu_{33.3}$ metallic glasses |

#### NUMBER 16

- |  |      |  |
|--|------|--|
| S. H. Chen and T. C. Wang  | 3997 | A new hardening law for strain gradient plasticity   |
| S. Müller, C. Wolverton,<br>L. -W. Wang and<br>A. Zunger               | 4007 | Predicting the size- and temperature-dependent shapes of<br>precipitates in Al-Zn alloys   |
| C. -E. Rousseau and<br>H. V. Tippur                                    | 4021 | Compositionally graded materials with cracks normal to<br>the elastic gradient   |
| A. K. Gangopadhyay,<br>T. K. Croat and<br>K. F. Kelton                 | 4035 | The effect of phase separation on subsequent crystallization<br>in $Al_{88}Gd_6La_2Ni_4$   |
| H. Conrad and Di Yang  | 4045 | Influence of an electric field on the plastic deformation of<br>fine-grained MgO at high homologous temperatures   |
| N. Bergeon, S. Kajiwaru<br>and T. Kikuchi                              | 4053 | Atomic force microscope study of stress-induced<br>martensite formation and its reverse transformation in a<br>thermomechanically treated Fe-Mn-Si-Cr-Ni alloy |
| T. Lehnert, H. Grimmer,<br>P. Böni, M. Horisberger<br>and R. Gotthardt | 4065 | Characterization of shape-memory alloy thin films made up<br>from sputter-deposited Ni/Ti multilayers  |
| X. Huang and N. H. Pryds   | 4073 | Crystallography and morphology of cementite precipitates<br>formed during rapid solidification of a ferritic stainless<br>steel                                |
| K. T. Moore and J. M. Howe   | 4083 | Characterization of $\gamma$ plate-shaped precipitates in an<br>Al-4.2 AT.% Ag alloy — growth kinetics, solute field,<br>composition and modeling              |
| A. Kolleck, G. A. Schneider<br>and F. A. Meschke                       | 4099 | R-curve behavior of $BaTiO_3$ - and PZT ceramics under the<br>influence of an electric field applied parallel to the crack<br>front                            |
| J. B. Correia and<br>H. A. Davies                                      | 4115 | Magnetic and structural monitoring of nanophase<br>precipitation during ageing of water-atomised Cu-5% Co<br>alloy powders                                     |

- |   |      |  |
|---|------|--|
| Y. H. Wen, Y. Wang,<br>L. A. Bendersky and<br>L. Q. Chen  | 4125 | Microstructural evolution during the $\alpha_2 \rightarrow \alpha_2 + O$ transformation in Ti-AL-NB alloys: phase-field simulation and experimental validation |
| B. N. Cox, N. Sridhar<br>and C. R. Argento                | 4137 | A bridging law for creeping fibres   |
| B. -N. Kim and K. Hiraga                                  | 4151 | Simulation of diffusional creep accompanied by grain growth in two-dimensional polycrystalline solids  |
| H. Muto and M. Sakai                                      | 4161 | The large-scale deformation of polycrystalline aggregates: cooperative grain-boundary sliding  |
| A. Epishin, T. Link,<br>P. D. Portella and<br>U. Brückner | 4169 | Evolution of the $\gamma/\gamma'$ microstructure during high-temperature creep of a nickel-base superalloy   |
|   | 4179 | Erratum  |

#### NUMBER 17

- |   |      |  |
|---|------|--|
| F. Roters, D. Raabe and<br>G. Gottstein   | 4181 | Work hardening in heterogeneous alloys—a microstructural approach based on three internal state variables  |
| O. Hunziker, D. Dye and<br>R. C. Reed   | 4191 | On the formation of a centreline grain boundary during fusion welding  |
| P. A. Carvalho, M. Sijbolts, B.<br>J. Kooi and<br>J. Th. M. De Hosson                         | 4203 | High-resolution transmission electron microscopy study of discontinuously precipitated Ni <sub>3</sub> Sn  |
| M. T. Todinov   | 4217 | On some limitations of the Johnson-Mehl-Avrami-Kolmogorov equation   |
| J. A. Vreeling, V. Ocelík,<br>Y. T. Pei, D. T. L. van<br>Agterveld and J. Th. M. De<br>Hosson | 4225 | Laser melt injection in aluminum alloys: on the role of the oxide skin   |
| C. W. Anderson, G. Shi,<br>H. V. Atkinson and<br>C. M. Sellars                                | 4235 | The precision of methods using the statistics of extremes for the estimation of the maximum size of inclusions in clean steels   |
| M. E. Kassner, M. -T. Pérez-<br>Prado, K. S. Vecchio and<br>M. A. Wall                        | 4247 | Determination of internal stresses in cyclically deformed copper single crystals using convergent-beam electron diffraction and dislocation dipole separation measurements |
| M. Wen and A. H. W. Ngan  | 4255 | Atomistic simulation of kink-pairs of screw dislocations in body-centred cubic iron  |
| Q. Liu, J. Wert and<br>N. Hansen  | 4267 | Location-dependent lattice rotation and shear strain in rolled aluminium single crystals of cube and Goss orientations   |

- |  |      |  |
|--|------|--|
| J. Zackrisson, U. Rolander,<br>B. Jansson and H. -O.<br>Andrén | 4281 | Microstructure and performance of a cermet material heat-treated in nitrogen   |
| T. Nakamura, T. Wang and S.<br>Sampath                         | 4293 | Determination of properties of graded materials by inverse analysis and instrumented indentation                       |
| Q. Feng and S. H. Whang  | 4307 | Deformation of Ti-56 At.%Al single crystals oriented for single slip by $1/2\langle 110 \rangle$ ordinary dislocations |
| W. Wu, G. Jiang,<br>R. H. Wagoner and<br>G. S. Daehn           | 4323 | Experimental and numerical investigation of idealized consolidation. Part I: static compaction                         |
| G. Jiang, W. Wu,<br>G. S. Daehn and<br>R. H. Wagoner           | 4331 | Experimental and numerical investigation of idealized consolidation. Part II: cyclic compaction                        |
| J. Lépinoux and Y. Estrin                                      | 4337 | Mechanical behaviour of alloys containing heterogeneously distributed particles: modelling with Delaunay triangulation |
| C. W. Smith, J. N. Grima<br>and K. E. Evans                    | 4349 | A novel mechanism for generating auxetic behaviour in reticulated foams: missing rib foam model                        |
| M. Göthelid, S. Haglund and<br>J. Ågren                        | 4357 | Influence of O and Co on the early stages of sintering of WC-Co: a surface study by AES and STM                        |

#### NUMBER 18/19

### PROCEEDINGS OF THE ACTA MATERIALIA WORKSHOP ON "CERAMIC AND BIMATERIAL INTERFACES: DESIGNING FOR PROPERTIES"

20-23 SEPTEMBER 1999, SEVILLE, SPAIN

- |   |      |  |
|---|------|--|
| A. P. Tomsia, J. S. Moya<br>and G. Thomas | 4363 | Preface  |
| M. Backhaus-Ricoult                       | 4365 | A model of oxygen-activity-dependent adsorption (desorption) to metal-oxide interfaces                           |
| A. G. Marinopoulos and<br>C. Elsässer     | 4375 | Microscopic structure and bonding at the rhombohedral twin interface in $\alpha$ -Al <sub>2</sub> O <sub>3</sub> |
| H. Dosch and H. Reichert                  | 4387 | Ordering, disordering and segregation at binary interfaces: model system Cu <sub>3</sub> Au(001)                 |
| J. R. Smith and W. Zhang                  | 4395 | Stoichiometric interfaces of Al and Ag with Al <sub>2</sub> O <sub>3</sub>                                       |
| M. Voué and J. De Coninck                 | 4405 | Spreading and wetting at the microscopic scale: recent developments and perspectives                             |
| T. P. Swiler and<br>R. E. Loehman         | 4419 | Molecular dynamics simulations of reactive wetting in metal-ceramic systems                                      |

- R. A. Marks, D. R. Chapman, D. T. Danielson and A. M. Glaeser 4425 Joining of alumina via copper/niobium/copper interlayers
- P. Wynblatt 4439 The effects of interfacial segregation on wetting in solid metal-on-metal and metal-on-ceramic systems
- E. Saiz, R. M. Cannon and A. P. Tomsia 4449 Reactive spreading: adsorption, ridging and compound formation
- E. Rabkin and I. Snapiro 4463 Wetting of the low-angle grain boundaries
- D. B. Marshall, J. R. Waldrop and P. E. D. Morgan 4471 Thermal grooving at the interface between alumina and monazite
- K. Suganuma, M. Ueshima, I. Ohnaka, H. Yasuda, J. Zhu and T. Matsuda 4475 Lift-off phenomenon in wave soldering
- C. Rado, B. Drevet and N. Eustathopoulos 4483 The role of compound formation in reactive wetting: the Cu/SiC system
- P. F. Becher, G. S. Painter, E. Y. Sun, C. H. Hsueh and M. J. Lance 4493 The importance of amorphous intergranular films in self-reinforced  $\text{Si}_3\text{N}_4$  ceramics
- J. Luo and Y. -M. Chiang 4501 Existence and stability of nanometer-thick disordered films on oxide surfaces
- R. Pérez and P. Gumbsch 4517 An *ab initio* study of the cleavage anisotropy in silicon
- M. P. De Boer, J. A. Knapp, T. A. Michalske, U. Srinivasan and R. Maboudian 4531 Adhesion hysteresis of silane coated microcantilevers
- A. J. Kinloch, M. S. G. Little and J. F. Watts 4543 The role of the interphase in the environmental failure of adhesive joints
- F. Yubero, M. Ocaña, A. Caballero and A. R. González-Elipse 4555 Structural modifications produced by the incorporation of Ar within the lattice of  $\text{Fe}_2\text{O}_3$  thin films prepared by ion beam induced chemical vapour deposition
- H. Guldberg-Pedersen and L. Bergström 4563 Stabilizing ceramic suspensions using anionic polyelectrolytes: adsorption kinetics and interparticle forces
- L. E. McNeil and R. H. French 4571 Multiple scattering from rutile  $\text{TiO}_2$  particles
- S. Muralidhar, A. Jagota, S. J. Bennison and S. Saigal 4577 Mechanical behaviour in tension of cracked glass bridged by an elastomeric ligament
- J. Llorca, M. Elices and Y. Termonia 4589 Elastic properties of sphere-reinforced composites with a mesophase



- |   |      |  |
|---|------|--|
| D. Chen, M. E. Sixta,<br>X. F. Zhang,<br>L. C. De Jonghe<br>and R. O. Ritchie   | 4599 | Role of the grain-boundary phase on the elevated-temperature strength, toughness, fatigue and creep resistance of silicon carbide sintered with Al, B and C                      |
| F. Rebillat, J. Lamon and<br>A. Guette  | 4609 | The concept of a strong interface applied to SiC/SiC composites with a BN interphase   |
| J. J. Brennan   | 4619 | Interfacial characterization of a slurry-cast melt-infiltrated SiC/SiC ceramic-matrix composite  |
| A. L. Dragoo  | 4629 | The US Department of Energy's program on the fundamental material science of internal interfaces   |
| M. Kitayama, K. Hirao,<br>M. Toriyama and<br>S. Kanzaki   | 4635 | Modeling and simulation of grain growth in Si <sub>3</sub> N <sub>4</sub> . III. Tip shape evolution   |
| M. Yoshiya, I. Tanaka and<br>H. Adachi  | 4641 | Energetical role of modeled intergranular glassy film in Si <sub>3</sub> N <sub>4</sub> -SiO <sub>2</sub> ceramics   |
| L. Gremillard, T. Epicier,<br>J. Chevalier and<br>G. Fantozzi   | 4647 | Microstructural study of silica-doped zirconia ceramics  |
| R. Torrecillas, A. Blanco,<br>M.E. Brito, C. López,<br>M. Míguez, F. Meseguer<br>and J. S. Moya                             | 4653 | Microstructural study of CdS/opal composites   |
| F. J. Oliveira, R. F. Silva and<br>J. M. Vieira   | 4659 | Thermochemistry of contacts between silicon nitride ceramics and steels  |
| E. Verné, C. Vitale Brovarone,<br>C. Moisescu,<br>E. Ghisolfi and E. Marmo  | 4667 | Coatings on Al <sub>2</sub> O <sub>3</sub> by bioactive glass-ceramics   |
| W. B. Hanson, K. I. Ironside<br>and J. A. Fernie  | 4673 | Active metal brazing of zirconia   |
| K. Nakashima, H. Matsumoto<br>and K. Mori   | 4677 | Effect of additional elements Ni and Cr on wetting characteristics of liquid Cu on zirconia ceramics   |
| V. M. Orera, R. I. Merino,<br>J. A. Pardo, A. Larrea,<br>J. I. Peña, C. González,<br>P. Poza, J. Y. Pastor<br>and J. Llorca | 4683 | Microstructure and physical properties of some oxide eutectic composites processed by directional solidification   |
| A. Sayir and S. C. Farmer   | 4691 | The effect of the microstructure on mechanical properties of directionally solidified Al <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> (Y <sub>2</sub> O <sub>3</sub> ) eutectic |
| E. Tzimas, H. Müllejans,<br>S. D. Peteves, J. Bressers<br>and W. Stamm  | 4699 | Failure of thermal barrier coating systems under cyclic thermomechanical loading   |



- |  |      |  |
|--|------|--|
| A. Tsoga, A. Gupta,<br>A. Naoumidis and<br>P. Nikolopoulos                                 | 4709 | Gadolinia-doped ceria and yttria stabilized zirconia interfaces: regarding their application for SOFC technology       |
| M. Jiménez-Melendo,<br>F. Gutiérrez-Mora and<br>A. Domínguez-Rodríguez                     | 4715 | Effect of layer interfaces on the high-temperature mechanical properties of alumina/zirconia laminate composites       |
| M. Ferraris, M. Montorsi and<br>M. Salvo   | 4721 | Glass coating for SiC <sub>f</sub> /SiC composites for high-temperature application                                    |
| E. Carreño-Morelli,<br>S. E. Urreta and<br>R. Schaller                                     | 4725 | Mechanical spectroscopy of thermal stress relaxation at metal-ceramic interfaces in Aluminum-based composites          |
| K. Morinaga, T. Torikai,<br>K. Nakagawa and S. Fujino                                      | 4735 | Fabrication of fine $\alpha$ -alumina powders by thermal decomposition of ammonium aluminum carbonate hydroxide (AACH) |
| R. Escobar Galindo,<br>A. Van Veen,<br>A. Alba García, H. Schut<br>and J. Th. M. De Hosson | 4743 | Study of polymer/metal coating under stress using positron annihilation spectroscopy                                   |
| J. S. Moya, M. Diaz,<br>J. F. Bartolomé, E. Roman,<br>J. L. Sacedon and<br>J. Izquierdo    | 4749 | Zirconium oxide film formation on zircaloy by water corrosion  |
| K. Niwa, Y. Kotaka,<br>M. Tomotani, H. Ashida, Y.<br>Goto and S. Otani                     | 4755 | Interface between electrode and PZT memory device  |

## NUMBER 20

### vii Announcement

- |   |      |  |
|---|------|--|
| A. Brunet, R. Valle and<br>A. Vassel  | 4763 | Intermetallic TiAl-based matrix composites: investigation of the chemical and mechanical compatibility of a protective coating adapted to an alumina fibre |
| T. P. Swiler  | 4775 | The role of liquid-substrate interactions on wetting in metallic embedded atom method systems  |
| M. Ohnuma, K. Hono,<br>S. Linderoth,<br>J. S. Pedersen,<br>Y. Yoshizawa and<br>H. Onodera | 4783 | Small-angle neutron scattering and differential scanning calorimetry studies on the copper clustering stage of Fe-Si-B-Nb-Cu nanocrystalline alloys        |
| Q. Jiang, Z. Zhang and<br>J. C. Li  | 4791 | Melting thermodynamics of nanocrystals embedded in a matrix  |
| J. A. Kittl, P. G. Sanders,<br>M. J. Aziz, D. P. Brunco<br>and M. O. Thompson             | 4797 | Complete experimental test of kinetic models for rapid alloy solidification  |

|  |      |  |
|--|------|--|
| Z. Yang, S. Sista,<br>J. W. Elmer and T. Debroy                        | 4813 | Three dimensional Monte Carlo simulation of grain growth during GTA welding of titanium  |
| O. Engler  | 4827 | Deformation and texture of copper-manganese alloys   |
| Y. -M. Liu, T. E. Mitchell and<br>H. N. G. Wadley                      | 4841 | Anisotropic damage evolution in a 0°/90° laminated ceramic-matrix composite  |
| L. M. Hsiung and<br>D. H. Lassila                                      | 4851 | Shock-induced deformation twinning and omega transformation in tantalum and tantalum-tungsten alloys                               |
| R. Srinivasan, G. F. Eggeler<br>and M. J. Mills                        | 4867 | $\gamma'$ -cutting as rate-controlling recovery process during high-temperature and low-stress creep of superalloy single crystals |
| Z. Xia and W. A. Curtin  | 4879 | Tough-to-brittle transitions in ceramic-matrix composites with increasing interfacial shear stress                                 |
| H. X. Zhu, J. R. Hobdell and<br>A. H. Windle                           | 4893 | Effects of cell irregularity on the elastic properties of open-cell foams  |
| Y. -J. Su, C. F. Qian,<br>M. -H. Zhao and<br>T. -Y Zhang               | 4901 | Microbridge testing of silicon oxide/silicon nitride bilayer films deposited on silicon wafers                                     |
| T. Zhai, A. J. Wilkinson and<br>J. W. Martin                           | 4917 | A crystallographic mechanism for fatigue crack propagation through grain boundaries  |
| A. Bollero, O. Gutfleisch,<br>M. Kubis, K. -H Müller and<br>L. Schultz | 4929 | Hydrogen disproportionation by reactive milling and recombination of $\text{Nd}_2(\text{Fe}_{1-x}\text{Co}_x)_{14}\text{B}$ alloys |
|  | I    | List of Contents, Author Index and Keyword Index, Volume 48  |

